

# Lily

Design Runa Klock & Hallgeir Homstvedt



**abstracta**



# Lily

Design Runa Klock & Hallgeir Homstvedt

The Lily lamp represents a whole new perspective on acoustic products. Its noise-dampening feature – the moulded felt of which it is made – has been so thoroughly integrated that you don't even notice it.

Lily got its name from its early prototypes, which resembled water lily leaves. Since then, its shape has been simplified and made more open to interpretation. Still present, however, is the sense that the lamp is floating in the air, imbuing the room with a splendid stillness.

## Specifications

The suspended absorbent is available in several different textiles and with two different cores: One with white polyester and a self-developed filling we call Hemp which is based on raw material from hemp and starch. Lily is available with or without the actual lamp.



Absorption

## Measurements WxH (mm)

900 x 61 mm  
1200 x 61 mm

## Certificates, Images & CAD files:

<https://abstracta.se/product/lily/>

## With lighting



## Without lighting




# Lily



## TECHNICAL SPECIFICATION: CE

<b>Finish</b>	Available in two sizes, with or without lighting. The sound absorbing core is made from molded polyester ("White core") or hemp + starch ("Hemp core"). Covering upholstery on both sides is made from molded wool fabric. The metal parts/light armature are painted in black.
<b>LED information</b>	System power: 11 W. Luminaire Luminous Flux: 850LM. CCT: 2700K. SDCM: 5. CRI: 80.
<b>Installation</b>	Ceiling-installation. 6 m power cord, 6 m wire. Ceiling mounted bracket is made from steel in shiny finish. Ceiling cup available as additional item.
<b>Connection</b>	Schuko connector.
<b>Control</b>	Dimmable TRIAC.
<b>Type of lens</b>	Opal.
<b>Dimensions</b>	900x61 mm 1200x61 mm
<b>Weight</b>	900 mm sound absorber with lighting: 4,5 Kg / Absorber: 4,1 Kg 1200 mm sound absorber with lighting: 7,2 Kg / Absorber: 6,7 Kg.
<b>Circularity</b>	The product is designed to be reused and we offer 10 years spare part warranty. Use our Zero-waste recycle service when the product's lifecycle is over, see more: <a href="http://www.abstracta.se">www.abstracta.se</a> . The fixture is designed to offer at least 70% of the original capacity after 50 000 h.




# Lily



## TECHNICAL SPECIFICATION: DALI

<b>Finish</b>	Available in two sizes, with or without lighting. The sound absorbing core is made from molded polyester ("White core") or hemp + starch ("Hemp core"). Covering upholstery on both sides is made from molded wool fabric. The metal parts/light armature are painted in black.
<b>LED information</b>	System power: 15,5 W. Luminaire Luminous Flux: 1250LM. CCT: 2700K. SDCM: 5. CRI: 90. One light source.
<b>Installation</b>	Ceiling-installation. 6 m power cord, 6 m wire. Ceiling mounted bracket is made from steel in shiny finish.
<b>Connection</b>	Terminal-block 5x4mm <sup>2</sup> . Two entry holes.
<b>Control</b>	Dimmable DALI.
<b>Type of lens</b>	Opal.
<b>Dimensions</b>	900x61 mm 1200x61 mm
<b>Weight</b>	900 mm sound absorber with lighting: 4,5 Kg / Absorber: 4,1 Kg 1200 mm sound absorber with lighting: 7,2 Kg / Absorber: 6,7 Kg.
<b>Circularity</b>	The product is designed to be reused and we offer 10 years spare part warranty. Use our Zero-waste recycle service when the product's lifecycle is over, see more: <a href="http://www.abstracta.se">www.abstracta.se</a> . The fixture is designed to offer at least 70% of the original capacity after 50 000 h.



Lily



## TECHNICAL SPECIFICATION: UL

<b>Finish</b>	Available in two sizes, with or without lighting. The sound absorbing core is made from molded polyester ("White core") or hemp + starch ("Hemp core"). Covering upholstery on both sides is made from molded wool fabric. The metal parts/light armature are painted in black.
<b>LED information</b>	System power: 11,5 W. Luminaire Luminous Flux: 950LM. CCT: 2700K. SDCM: 5. CRI: 80.
<b>Installation</b>	Ceiling-installation. 6 m power cord, 6 m wire. Ceiling mounted bracket is made from steel in shiny finish. Ceiling cup available as additional item.
<b>Connection</b>	USA connector.
<b>Control</b>	Dimmable TRIAC.
<b>Type of lens</b>	Opal.
<b>Dimensions</b>	900x61 mm 1200x61 mm
<b>Weight</b>	900 mm sound absorber with lighting: 4,5 Kg / Absorber: 4,1 Kg 1200 mm sound absorber with lighting: 7,2 Kg / Absorber: 6,7 Kg.
<b>Circularity</b>	The product is designed to be reused and we offer 10 years spare part warranty. Use our Zero-waste recycle service when the product's lifecycle is over, see more: <a href="http://www.abstracta.se">www.abstracta.se</a> . The fixture is designed to offer at least 70% of the original capacity after 50 000 h.

**cRU**<sup>®</sup>  
E334024

